

	Type	L #	Hits	Search Text
1	BRS	L1	131	((148/415-418,437-440.ccls. or 420/528-554.ccls.) and (texture or orientation or oriented or orientated) and ((grain near3 size) or (grain near3 ("mu.m" or "mu" or "mu." or micron or micrometer or ".mu.m" or ".mu." or "mum" or "mu.m" or \$1"mu.m" or microns or micrometers))))
2	BRS	L2	33	204/298.13.ccls. and ((al or aluminum or aluminium) near3 (alloy or alloys or base or based or balance)) and (texture or orientation or oriented or orientated) and ((grain near3 size) or (grain near3 ("mu.m" or "mu" or "mu." or micron or micrometer or ".mu.m" or ".mu." or "mum" or "mu.m" or \$1"mu.m" or microns or micrometers))))
3	BRS	L3	1	("ECAE" or "E.C.A.E." or ((equal or channel or angular) near5 (extrusion or extruded or extrude or extrusions)))) and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating)) and (sputter or sputtering or sputters or sputtered)
4	BRS	L4	58	L1 and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating))
5	BRS	L5	2	L1 and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating)) and (sputter or sputtering or sputters or sputtered)

updated search 11/12/04

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	131	(148/415-418,437-440.ccls. or 420/528-554.ccls.) and (texture or orientation or oriented or orientated) and ((grain near3 size) or (grain near3 ("mu.m" or "mu" or "mu." or micron or micrometer or ".mu.m" or ".mu." or "mum" or "mu.m" or \$1"mu.m" or microns or micrometers))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:26
L2	33	204/298.13.ccls. and ((al or aluminum or aluminium) near3 (alloy or alloys or base or based or balance)) and (texture or orientation or oriented or orientated) and ((grain near3 size) or (grain near3 ("mu.m" or "mu" or "mu." or micron or micrometer or ".mu.m" or ".mu." or "mum" or "mu.m" or \$1"mu.m" or microns or micrometers))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:26
L3	1	("ECAE" or "E.C.A.E." or ((equal or channel or angular) near5 (extrusion or extruded or extrude or extrusions))) and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating)) and (sputter or sputtering or sputters or sputtered)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:38
L4	58	L1 and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:37
L5	2	L1 and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating)) and (sputter or sputtering or sputters or sputtered)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 11:35
L6	120	("ECAE" or "E.C.A.E." or ((equal or channel or angular) near5 (extrusion or extruded or extrude or extrusions))) and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 13:27

L7	47	("ECAE" or "E.C.A.E." or ((equal or channel or angular) near5 (extrusion or extruded or extrude or extrusions))) and ((solution or solutionised or solutionized) near3 (heat or heated or heating or treat or treated or treating)) and ((al or aluminum or aluminium) near3 (alloy or alloys or alloyed or balance or base or based))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 12:03
L8	73	6 not 7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 14:03
L9	2	"20040072009"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 14:18
L10	2	"6723187".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/11/12 14:22